



February 22, 2017

ADDENDUM No. 1

**Invitation to Tender CS-17-01
BEAVERLY FIRE HALL
ROOF REMOVAL, REPLACEMENT AND ENERGY UPGRADE**

*The addendum is being issued prior to the closing of the Invitation to Tender (ITT) to provide further information, make changes to, or to clarify the ITT Documents and is to be read, interpreted and coordinated with all other parts of the ITT Documents. In the case of a conflict with the balance of the documents, this Addendum shall govern. **Bidders shall attach a signed copy of this addendum to their tender submission, failure to do so may result in a non-compliant bid.** This addendum shall form part of the Contract Documents.*

DETAILS OF ADDENDUM:

Add to Specifications Section 01 11 00 the following into 1.1 Description of the work:

.7 Relocate heat trace in existing gutters into new exterior gutters

Specification Section 133419, Section 2.3.1 states:

- .1 Standard of Acceptance: R-30 MR-24 panels as manufactured by Butler Manufacturing Company, or approved alternate
- .2 Roof panels shall be factory roll-formed, 24" wide, with 2 major corrugations, 2" (51 mm) high (2-3/4" (70 mm) including seam). 24" (610 mm) on centre. The flat of the panel shall contain cross flutes 6" (152 mm) on centre perpendicular to the major corrugations the entire length of the panel to reduce wind noise and improve walkability.

Please note that alternative panel manufacturers and panel widths will be considered, subject to approval of consultants.

Name of Firm _____

Authorized Signature _____

Printed Name _____ Date _____

Proposals must be sent to:
General Manager of Financial Services
Regional District of Fraser-Fort George
3rd Floor, 155 George Street
Prince George BC V2L 1P8

Questions relating to ITT CS-17-01 must be directed to:
Donna Munt, General Manager of Community Services
Regional District of Fraser-Fort George
155 George Street
Prince George BC V2L 1P8
Telephone: 250-960-4400 / 1-800-667-1959
Email: dmunt@rdffg.bc.ca